**Table 4.6.1. Major Criteria Pollutants** 

Pollutant	Characteristics	Health Effects	Major Sources
Ozone	A highly reactive photochemical pollutant created by the action of sunshine on ozone precursors (primarily reactive hydrocarbons and oxides of nitrogen. Often called photochemical smog.	Eye Irritation Respiratory function impairment.	The major sources ozone precursors are combustion sources such as factories and automobiles, and evaporation of solvents and fuels.
Carbon Monoxide	Carbon monoxide is an odorless, colorless gas that is highly toxic. It is formed by the incomplete combustion of fuels.	Impairment of oxygen transport in the bloodstream. Aggravation of cardiovascular disease. Fatigue, headache, confusion, dizziness. Can be fatal in the case of very high concentrations.	Automobile exhaust, combustion of fuels, combustion of wood in woodstoves and fireplaces.
Nitrogen Dioxide	Reddish-brown gas that discolors the air, formed during combustion.	!Increased risk of acute and chronic respiratory disease.	Automobile and diesel truck exhaust, industrial processes, fossil-fueled power plants.
Sulfur Dioxide	Sulfur dioxide is a colorless gas with a pungent, irritating odor.	Aggravation of chronic obstruction lung disease. Increased risk of acute and chronic respiratory disease.	Diesel vehicle exhaust, oil- powered power plants, industrial processes.
Particulate Matter	Solid and liquid particles of dust, soot, aerosols and other matter which are small enough to remain suspended in the air for a long period of time.	Aggravation of chronic disease and heart/lung disease symptoms.	Combustion, automobiles, field burning, factories and unpaved roads. Also a result of photochemical processes.